**Project Name:** HARVEST **Project Number:** 4240006

 Lab Number:
 L2411707

 Report Date:
 03/21/24

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2411707-01	RS 10,000	DW	PLYMPTON, MA	03/04/24 09:00	03/05/24
L2411707-02	RS 10,000 FIELD BLANK	DW	PLYMPTON, MA	03/04/24 09:00	03/05/24



Project Name:HARVESTLab Number:L2411707Project Number:4240006Report Date:03/21/24

#### **Case Narrative**

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.	



Project Name:HARVESTLab Number:L2411707Project Number:4240006Report Date:03/21/24

### **Case Narrative (continued)**

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Sample Receipt

L2411707-02: A sample identified as "RS 10,000 FIELD BLANK" was received, but not listed on the Chain of Custody. At the client's request, this sample was analyzed.

L2411707-02: The analysis of PFAAs via 537.1 was canceled.

Perfluorinated Alkyl Acids by EPA 537.1

L2411707-01RE: The sample was re-extracted within holding time due to QC failures in the original extraction. The results of the re-extraction are reported.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

ashly Bowley Ashley Boucher

Authorized Signature:

Title: Technical Director/Representative

Date: 03/21/24



## **ORGANICS**



## **SEMIVOLATILES**



Serial\_No:03212413:24

Project Name: HARVEST Lab Number: L2411707

Project Number: 4240006 Report Date: 03/21/24

**SAMPLE RESULTS** 

Lab ID: L2411707-01 RE Date Collected: 03/04/24 09:00

Client ID: RS 10,000 Date Received: 03/05/24 Sample Location: PLYMPTON, MA Field Prep: Not Specified

Sample Depth:

Matrix: Dw Extraction Method: EPA 537.1

Analytical Method: 133,537.1 Extraction Date: 03/14/24 16:10
Analytical Date: 03/15/24 07:50

Analyst: AC

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor				
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab										
Perfluorobutanesulfonic Acid (PFBS)	ND		ng/l	2.00	0.726	1				
Perfluorohexanoic Acid (PFHxA)	ND		ng/l	2.00	0.726	1				
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	2.00	0.726	1				
Perfluoroheptanoic Acid (PFHpA)	ND		ng/l	2.00	0.726	1				
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	2.00	0.726	1				
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	2.00	0.726	1				
Perfluorooctanoic Acid (PFOA)	ND		ng/l	2.00	0.726	1				
Perfluorononanoic Acid (PFNA)	ND		ng/l	2.00	0.726	1				
Perfluorooctanesulfonic Acid (PFOS)	ND		ng/l	2.00	0.726	1				
Perfluorodecanoic Acid (PFDA)	ND		ng/l	2.00	0.726	1				
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9CI-PF3ONS)	ND		ng/l	2.00	0.726	1				
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	2.00	0.726	1				
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	2.00	0.726	1				
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	2.00	0.726	1				
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	2.00	0.726	1				
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	2.00	0.726	1				
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	2.00	0.726	1				
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	2.00	0.726	1				
PFAS, Total (6)	ND		ng/l	2.00	0.726	1				

Surrogate	% Recovery	Acceptance Qualifier Criteria	
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	94	70-130	
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	93	70-130	
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	100	70-130	
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	87	70-130	



Project Name: HARVEST

**Project Number:** 4240006

Lab Number:

**Report Date:** 

L2411707 03/21/24

Method Blank Analysis Batch Quality Control

Analytical Method: 133,537.1 Analytical Date: 03/15/24 06:32

Analyst: AC

Extraction Method: EPA 537.1 Extraction Date: 03/14/24 16:18

arameter	Result	Qualifier	Units	RL		MDL
erfluorinated Alkyl Acids by EPA 5	37.1 - Mans	sfield Lab fo	or sample(s):	01	Batch:	WG1896387-1
Perfluorobutanesulfonic Acid (PFBS)	ND		ng/l	2.00		0.668
Perfluorohexanoic Acid (PFHxA)	ND		ng/l	2.00		0.668
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	2.00		0.668
Perfluoroheptanoic Acid (PFHpA)	ND		ng/l	2.00		0.668
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	2.00		0.668
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	2.00		0.668
Perfluorooctanoic Acid (PFOA)	ND		ng/l	2.00		0.668
Perfluorononanoic Acid (PFNA)	ND		ng/l	2.00		0.668
Perfluorooctanesulfonic Acid (PFOS)	ND		ng/l	2.00		0.668
Perfluorodecanoic Acid (PFDA)	ND		ng/l	2.00		0.668
9-Chlorohexadecafluoro-3-Oxanone-1- Sulfonic Acid (9CI-PF3ONS)	ND		ng/l	2.00		0.668
N-Methyl Perfluorooctanesulfonamidoacet Acid (NMeFOSAA)	ic ND		ng/l	2.00		0.668
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	2.00		0.668
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	2.00		0.668
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	2.00		0.668
11-Chloroeicosafluoro-3-Oxaundecane-1- Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	2.00		0.668
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	2.00		0.668
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	2.00		0.668
PFAS, Total (6)	ND		ng/l	2.00		0.668

	Acceptance
%Recovery	Qualifier Criteria
97	70-130
94	70-130
105	70-130
98	70-130
	97 94 105



## Lab Control Sample Analysis Batch Quality Control

Project Name: HARVEST

Project Number: 4240006

Lab Number: L2411707

**Report Date:** 03/21/24

arameter	LCS %Recovery	·	CSD covery	%Recovery Qual Limits	RPD	RPD Qual Limits
erfluorinated Alkyl Acids by EPA 537.1	- Mansfield Lab Ass	sociated sample(s):	01 Batch:	WG1896387-2		
Perfluorobutanesulfonic Acid (PFBS)	86		-	50-150	-	30
Perfluorohexanoic Acid (PFHxA)	99		-	50-150	-	30
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	83		-	50-150	-	30
Perfluoroheptanoic Acid (PFHpA)	110		-	50-150	-	30
Perfluorohexanesulfonic Acid (PFHxS)	108		-	50-150	-	30
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	104		-	50-150	-	30
Perfluorooctanoic Acid (PFOA)	107		-	50-150	-	30
Perfluorononanoic Acid (PFNA)	117		-	50-150	-	30
Perfluorooctanesulfonic Acid (PFOS)	116		-	50-150	-	30
Perfluorodecanoic Acid (PFDA)	108		-	50-150	-	30
9-Chlorohexadecafluoro-3-Oxanone-1- Sulfonic Acid (9CI-PF3ONS)	102		-	50-150	-	30
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	88		-	50-150	-	30
Perfluoroundecanoic Acid (PFUnA)	112		-	50-150	-	30
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	85		-	50-150	-	30
Perfluorododecanoic Acid (PFDoA)	111		-	50-150	-	30
11-Chloroeicosafluoro-3-Oxaundecane- 1-Sulfonic Acid (11Cl-PF3OUdS)	93		-	50-150	-	30
Perfluorotridecanoic Acid (PFTrDA)	112		-	50-150	-	30
Perfluorotetradecanoic Acid (PFTA)	120		-	50-150	-	30



## Lab Control Sample Analysis Batch Quality Control

Project Name: HARVEST

Lab Number:

L2411707

03/21/24

Project Number: 4240006

Report Date:

	LCS		LCSD		%Recovery			RPD
Parameter	%Recoverv	Qual	%Recovery	Qual	Limits	RPD	Qual	Limits

Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01 Batch: WG1896387-2

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	102				70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	98				70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	105				70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	101				70-130



# Matrix Spike Analysis Batch Quality Control

Project Name: HARVEST
Project Number: 4240006

Lab Number:

L2411707

Report Date:

03/21/24

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery		overy nits RPL	RPD Qual Limits	
Perfluorinated Alkyl Acids by E	PA 537.1 -	Mansfield Lab	Associated	sample(s): 01	QC Bate	ch ID: WG1	1896387-3 C	QC Sample: L	2411989-01	Client ID: MS San	mple
Perfluorobutanesulfonic Acid (PFBS)	2.07	1.64	3.62	94		-	-	50-	150 -	30	
Perfluorohexanoic Acid (PFHxA)	ND	1.85	2.21	119		-	-	50-	150 -	30	
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3- Heptafluoropropoxy]-Propanoic Acid (HFPO-DA)	ND	1.85	1.62J	87		-	-	50-	150 -	30	
Perfluoroheptanoic Acid (PFHpA)	ND	1.85	2.80	151	Q	-	-	50-	150 -	30	
Perfluorohexanesulfonic Acid (PFHxS)	1.59J	1.69	3.46	204	Q	-	-	50-	150 -	30	
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND	1.75	1.83J	104		-	-	50-	150 -	30	
Perfluorooctanoic Acid (PFOA)	2.92	1.85	5.49	139		-	-	50-	150 -	30	
Perfluorononanoic Acid (PFNA)	ND	1.85	2.25	121		-	-	50-	150 -	30	
Perfluorooctanesulfonic Acid (PFOS)	2.66	1.72	4.02	79		-	-	50-	150 -	30	
Perfluorodecanoic Acid (PFDA)	ND	1.85	1.93J	104		-	-	50-	150 -	30	
9-Chlorohexadecafluoro-3- Oxanone-1-Sulfonic Acid (9Cl- PF3ONS)	ND	1.73	1.79J	103		-	-	50-	150 -	30	
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND	1.85	1.45J	78		-	-	50-	150 -	30	
Perfluoroundecanoic Acid (PFUnA)	ND	1.85	1.81J	98		-	-	50-	150 -	30	
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND	1.85	1.78J	96		-	-	50-	150 -	30	
Perfluorododecanoic Acid (PFDoA)	ND	1.85	1.87	101		-	-	50-	150 -	30	
11-Chloroeicosafluoro-3- Oxaundecane-1-Sulfonic Acid (11Cl- PF3OUdS)	ND	1.75	1.34J	77		-	-	50-	150 -	30	
Perfluorotridecanoic Acid (PFTrDA)	ND	1.85	1.96	106		-	-	50-	150 -	30	
Perfluorotetradecanoic Acid (PFTA)	ND	1.85	2.09	113		-	-	50-	150 -	30	



## Matrix Spike Analysis Batch Quality Control

Project Name: HARVEST
Project Number: 4240006

Lab Number:

L2411707

Report Date:

03/21/24

	Native	MS	MS	MS		MSD	MSD		Recovery			RPD
Parameter	Sample	Added	Found	%Recovery	Qual	Found	%Recovery	Qual	Limits	RPD	Qual	Limits

Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1896387-3 QC Sample: L2411989-01 Client ID: MS Sample

	MS	MS	D	Acceptance
Surrogate	% Recovery Qua	alifier % Recovery	Qualifier	Criteria
	92			70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	92			70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	100			70-130
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	102			70-130



## Lab Duplicate Analysis Batch Quality Control

Project Name: HARVEST
Project Number: 4240006

 Lab Number:
 L2411707

 Report Date:
 03/21/24

RPD
Native Sample Duplicate Sample Units RPD Qual Limits

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual Limits
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfi Sample	eld Lab Associated sample(s):	01 QC Batch ID:	WG1896387-4	QC Sample:	: L2412585-01 Client ID: DUP
Perfluorobutanesulfonic Acid (PFBS)	ND	ND	ng/l	NC	30
Perfluorohexanoic Acid (PFHxA)	ND	ND	ng/l	NC	30
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3- Heptafluoropropoxy]-Propanoic Acid (HFPO-DA)	ND	ND	ng/l	NC	30
Perfluoroheptanoic Acid (PFHpA)	ND	ND	ng/l	NC	30
Perfluorohexanesulfonic Acid (PFHxS)	ND	ND	ng/l	NC	30
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND	ND	ng/l	NC	30
Perfluorooctanoic Acid (PFOA)	ND	ND	ng/l	NC	30
Perfluorononanoic Acid (PFNA)	ND	ND	ng/l	NC	30
Perfluorooctanesulfonic Acid (PFOS)	ND	ND	ng/l	NC	30
Perfluorodecanoic Acid (PFDA)	ND	ND	ng/l	NC	30
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9CI-PF3ONS)	ND	ND	ng/l	NC	30
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND	ND	ng/l	NC	30
Perfluoroundecanoic Acid (PFUnA)	ND	ND	ng/l	NC	30
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND	ND	ng/l	NC	30
Perfluorododecanoic Acid (PFDoA)	ND	ND	ng/l	NC	30
11-Chloroeicosafluoro-3-Oxaundecane-1- Sulfonic Acid (11Cl-PF3OUdS)	ND	ND	ng/l	NC	30
Perfluorotridecanoic Acid (PFTrDA)	ND	ND	ng/l	NC	30
Perfluorotetradecanoic Acid (PFTA)	ND	ND	ng/l	NC	30



## Lab Duplicate Analysis Batch Quality Control

Lab Number:

L2411707

Report Date:

03/21/24

**Project Number:** 4240006

HARVEST

**Project Name:** 

RPD Native Sample **Parameter Duplicate Sample** Units **RPD** Qual Limits

Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1896387-4 QC Sample: L2412585-01 Client ID: DUP

Sample

Surrogate	%Recovery	Qualifier %Recovery	Acceptance Qualifier Criteria	
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	98	96	70-130	
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-13C3-Propanoic Acid (M3HFPO-DA)	91	86	70-130	
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	92	92	70-130	
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	72	78	70-130	



Serial\_No:03212413:24

**Lab Number:** L2411707

Report Date: 03/21/24

### Sample Receipt and Container Information

Were project specific reporting limits specified?

**Cooler Information** 

Project Name:

Cooler Custody Seal

**HARVEST** 

A Absent

Project Number: 4240006

Container Info	ntainer Information		Initial	Final	Temp			Frozen		
Container ID	Container Type	Cooler	рН	рН	deg C	Pres	Seal	Date/Time	Analysis(*)	
L2411707-01A	Plastic 250ml Trizma preserved	Α	NA		2.2	Υ	Absent		A2-MA-537.1(14)	
L2411707-01B	Plastic 250ml Trizma preserved	Α	NA		2.2	Υ	Absent		A2-MA-537.1(14)	
L2411707-02A	Plastic 250ml Trizma preserved	Α	NA		2.2	Υ	Absent		CANCELLED()	



Serial\_No:03212413:24 **Lab Number:** L2411707 **Report Date:** 03/21/24

Project Name: HARVEST
Project Number: 4240006

### **PFAS PARAMETER SUMMARY**

Parameter	Acronym	CAS Number
PERFLUOROALKYL CARBOXYLIC ACIDS (PFCAs)		
Perfluorooctadecanoic Acid	PFODA	16517-11-6
Perfluorohexadecanoic Acid	PFHxDA	67905-19-5
Perfluorotetradecanoic Acid	PFTA/PFTeDA	376-06-7
Perfluorotridecanoic Acid	PFTrDA	72629-94-8
Perfluorododecanoic Acid	PFDoA	307-55-1
Perfluoroundecanoic Acid	PFUnA	2058-94-8
Perfluorodecanoic Acid	PFDA	335-76-2
Perfluorononanoic Acid	PFNA	375-95-1
Perfluorooctanoic Acid	PFOA	335-67-1
Perfluoroheptanoic Acid	PFHpA	375-85-9
Perfluorohexanoic Acid	PFHxA	307-24-4
	PFPeA	
Perfluoropentanoic Acid		2706-90-3
Perfluorobutanoic Acid	PFBA	375-22-4
PERFLUOROALKYL SULFONIC ACIDS (PFSAs)		
Perfluorododecanesulfonic Acid	PFDoDS/PFDoS	79780-39-5
Perfluorodecanesulfonic Acid	PFDS	335-77-3
Perfluorononanesulfonic Acid	PFNS	68259-12-1
Perfluorooctanesulfonic Acid	PFOS	1763-23-1
Perfluoroheptanesulfonic Acid	PFHpS	375-92-8
Perfluorohexanesulfonic Acid	PFHxS	355-46-4
Perfluoropentanesulfonic Acid	PFPeS	2706-91-4
Perfluorobutanesulfonic Acid	PFBS	375-73-5
Perfluoropropanesulfonic Acid	PFPrS	423-41-6
FLUOROTELOMERS		
1H,1H,2H,2H-Perfluorododecanesulfonic Acid	10:2FTS	120226-60-0
1H,1H,2H,2H-Perfluorodecanesulfonic Acid	8:2FTS	39108-34-4
1H,1H,2H,2H-Perfluorooctanesulfonic Acid	6:2FTS	27619-97-2
1H,1H,2H,2H-Perfluorohexanesulfonic Acid	4:2FTS	757124-72-4
PERFLUOROALKANE SULFONAMIDES (FASAs)		
Perfluorooctanesulfonamide	FOSA/PFOSA	754-91-6
N-Ethyl Perfluorooctane Sulfonamide	NEtFOSA	4151-50-2
N-Methyl Perfluorooctane Sulfonamide	NMeFOSA	31506-32-8
•	NIVIEI OSA	31300-32-8
PERFLUOROALKANE SULFONYL SUBSTANCES		
N-Ethyl Perfluorooctanesulfonamido Ethanol	NEtFOSE	1691-99-2
N-Methyl Perfluorooctanesulfonamido Ethanol	NMeFOSE	24448-09-7
N-Ethyl Perfluorooctanesulfonamidoacetic Acid	NEtFOSAA	2991-50-6
N-Methyl Perfluorooctanesulfonamidoacetic Acid	NMeFOSAA	2355-31-9
PER- and POLYFLUOROALKYL ETHER CARBOXYLIC ACIDS		
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid	HFPO-DA	13252-13-6
4,8-Dioxa-3h-Perfluorononanoic Acid	ADONA	919005-14-4
CHLORO-PERFLUOROALKYL SULFONIC ACIDS		
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	11CI-PF3OUdS	763051-92-9
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid	9CI-PF3ONS	756426-58-1
PERFLUOROETHER SULFONIC ACIDS (PFESAs)		
Perfluoro(2-Ethoxyethane)Sulfonic Acid	PFEESA	113507-82-7
PERFLUOROETHER/POLYETHER CARBOXYLIC ACIDS (PFPCAs)		
· · · · · · · · · · · · · · · · · · ·	DEMDA	077 70 4
Perfluoro-3-Methoxypropanoic Acid	PFMPA	377-73-1
Perfluoro-4-Methoxybutanoic Acid	PFMBA	863090-89-5
Nonafluoro-3,6-Dioxaheptanoic Acid	NFDHA	151772-58-6



Serial\_No:03212413:24 **Lab Number:** L2411

**Project Name:** HARVEST L2411707 Project Number: 4240006

Report Date: 03/21/24

### **PFAS PARAMETER SUMMARY**

Parameter	Acronym	CAS Number	
FLUOROTELOMER CARBOXYLIC ACIDS (FTCAs)			
3-Perfluoroheptyl Propanoic Acid	7:3FTCA	812-70-4	
2H,2H,3H,3H-Perfluorooctanoic Acid	5:3FTCA	914637-49-3	
3-Perfluoropropyl Propanoic Acid	3:3FTCA	356-02-5	



Project Name:HARVESTLab Number:L2411707Project Number:4240006Report Date:03/21/24

#### **GLOSSARY**

#### Acronyms

DL - Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)

EDL - Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).

EMPC - Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.

EPA - Environmental Protection Agency.

LCS - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.

LCSD - Laboratory Control Sample Duplicate: Refer to LCS.

LFB - Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.

LOD - Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)

LOQ - Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)

Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)

MDL - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.

Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for
which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated
using the native concentration, including estimated values.

MSD - Matrix Spike Sample Duplicate: Refer to MS.

NA - Not Applicable.

MS

**RPD** 

NC - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.

NDPA/DPA - N-Nitrosodiphenylamine/Diphenylamine.

NI - Not Ignitable.

NP - Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.

NR - No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.

RL - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.

- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.

SRM - Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.

STLP - Semi-dynamic Tank Leaching Procedure per EPA Method 1315.

TEF - Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.

TEQ - Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.

TIC - Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: HARVEST Lab Number: L2411707

Project Number: 4240006 Report Date: 03/21/24

#### **Footnotes**

1 The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

#### Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA,this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'. Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic

peaks eluting from Hexane through Dodecane. Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benza(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

#### Data Qualifiers

- A Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.
- H The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I The lower value for the two columns has been reported due to obvious interference.
- J Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: HARVEST Lab Number: L2411707

Project Number: 4240006 Report Date: 03/21/24

#### Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- **NJ** Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P The RPD between the results for the two columns exceeds the method-specified criteria.
- Q The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- **R** Analytical results are from sample re-analysis.
- **RE** Analytical results are from sample re-extraction.
- S Analytical results are from modified screening analysis.
- The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



Serial\_No:03212413:24

Project Name: HARVEST Lab Number: L2411707
Project Number: 4240006 Report Date: 03/21/24

#### REFERENCES

Determination of Selected Per- and Polyfluorinated Alkyl Substances in Drinking Water by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS). EPA Method 537.1, EPA/600/R-18/352. Version 1.0, November 2018.

### **LIMITATION OF LIABILITIES**

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Serial\_No:03212413:24

Alpha Analytical, Inc. Facility: Company-wide

Department: Quality Assurance

Title: Certificate/Approval Program Summary

ID No.:17873 Revision 20

Published Date: 6/16/2023 4:52:28 PM

Page 1 of 1

### Certification Information

#### The following analytes are not included in our Primary NELAP Scope of Accreditation:

#### Westborough Facility

EPA 624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625.1: alpha-Terpineol

EPA 8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; 4-Ethyltoluene, Az

EPA 8270E: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO2, NO3.

## **Mansfield Facility**

SM 2540D: TSS.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

#### The following analytes are included in our Massachusetts DEP Scope of Accreditation

#### Westborough Facility:

#### **Drinking Water**

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; EPA 353.2: Nitrate-N, Nitrite-N; SM4500NO3-F: Nitrate-N, Nitrite-N; SM4500F-C, SM4500CN-CE,

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 524.2: THMs and VOCs; EPA 504.1: EDB, DBCP

Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D.

#### Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kieldahl-N, EPA 350.1: Ammonia-N, LACHAT 10-107-06-1-B: Ammonia-N, EPA 351.1, SM4500NO3-F, EPA 353.2: Nitrate-N, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate. EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan II, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables).

Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.

#### **Mansfield Facility:**

#### Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. EPA 200.8: Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. EPA 245.1 Hg. EPA 522, EPA 537.1.

### Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

Document Type: Form

100	CHAIN	FOLIOTE		100						_No:03212413:24	
ALPHA	CHAIN	F CUSTO	DY,	PAGE	_OF	Date Rec'd in	Lab: 3/5	1/24	ALPHA	Job#: 62411707	
WESTBORO, MA TEL: 508-898-9220	MANSFIELD, MA TEL: 508-822-9300	Project Informa		C ST	12 47	Report Info	rmation - Data	a Deliverables	Billing Ir	nformation	
FAX: 508-898-9193	FAX: 508-822-3288	Project Location	RUES	T68	RIDIG	DEAY	<b>EMAIL</b>			s Client info PO#:	
Client Informati		Project #:	LYMP	TON	1 160	- MOLA	☐ Add'l De				
Roeve Roeve	Y HARVEST, LLE	r roject w.			e. Cop	Contraction of the Contraction o		Report Limits	Fru Back	AVENIE	
Address: 743	BROWD ST UMIT	Project Manager:	E.K	ac		State /Fed Pro		Criteria 🗸	4 16 F	FAS	
WEY	MODER MULOZISA	ALPHA Quote #:				M4 8	61	DESCRIPTION OF THE PARTY OF THE	- W 101 V		
	-749-4849	Turn-Around Ti	me	F8 70	E BY	THE REAL PROPERTY.		-	-	- Company	
Fax: 281	-740-699	1			ALLEY.						
Email rocksp	rugueta e enzab ueb ave been previously analyzed by Alpha	Date Due:	RUSH (only)	confirmed if pre-a	рргочеф)		7.7	1 1 1 1	1 1 1	7 7	100
UPLO A	Specific Requirements/Com	TO MAD	EP			16 PPRS				Filtration  Done  Not needed  Lab to do  Preservation  Lab to do	
(Lab Use Only)	Sample ID	Coll	ection Time	Sample Matrix	Sampler's Initials				///	(Please specify below)	
1707-01	RS 10,000	3/4/24	1:00	De	60	X		+	+++	Sample Specific Comments	
		17-1									+
											4
											4
											4
				Contai	ner Type	Ρ					
						P			р	Please print clearly, legibly and eletely. Samples can not be log	ged
		Relinquished By:			servative -	KIZKA	elyed By:	Date	Time p	eletely. Samples can not be log n and turnaround time clock will tart until any ambiguities are re	ged I not solv
M NO: 01-01 (rev. 14-0C)	~	Relinquished By:		Pres	servative -	KIZKA	eiyed By:	Date 3/5/34	/Time s	eletely. Samples can not be log an and turnaround time clock will	ged I not solv