

Compliance Designs

CLIENT: Rocky Harvest, LLC
743 Broad Street, Unit #1
East Weymouth, MA 02189

DATE OF REPORT: Quarter 1, 2025
REPORT #: 664-032
LABORATORY ID#: 380-135171-1, 380-139395-1

NOTE: “*” indicates that maximum levels have been exceeded, or in the case of pH, is either too high or too low
“ND” indicates that none of this analyte has been detected at or above the specified detection level
“MCL” indicates maximum contaminant level as established by NYSHD for bottled water
“RL” indicates laboratory reporting limit for method
Units results are reported in mg/L unless otherwise noted

ANALYSIS PERFORMED	MCL ¹ (mg/L)	RL (mg/L)	HARVEST SPRING SOURCE—TREATED 664-032 (mg/L)
Primary Inorganics			
Antimony	--	0.001	ND
Arsenic	0.05	0.002	ND
Barium	1	0.002	0.0072
Cadmium	0.01	0.0005	ND
Chromium	0.05	0.0009	ND
Fluoride	2.2	0.05	ND
Lead	0.05	0.0005	ND
Mercury	0.002	0.0002	ND
Nickel	--	0.001	0.0016
Nitrate – N	10	0.05	0.98
Nitrite – N	--	0.05	ND
Total Nitrate & Nitrite – N	10	0.05	0.98
Selenium	0.01	0.002	ND
Secondary Inorganics			
Alkalinity	--	4	23
Bicarb. Alkalinity	--	4	23
Calcium	--	0.1	7.2
Chloride	250	0.5	11
Copper	1	0.001	ND
Corrosivity	--	-14	-2.1
Hardness, Total	--	2.9	29
Iron	0.3	0.01	ND
Magnesium	--	0.10	2.8
Manganese	0.3	0.002	0.0055
pH	--	0.01	7.0
Potassium	--	0.10	0.95
Silver	0.05	0.0005	ND
Sodium	--	0.10	8.5
Sulfate	250	0.25	9.6
TDS	--	20	54
Zinc	5	0.02	ND
Physical			
Color	--	2	ND
Odor	--	1	ND
Turbidity	--	0.1	0.10
Radiologicals			
Gross Alpha	15 pCi/L	3	ND
Gross Beta	50 pCi/L ²	4	ND
Radium 226/228	5 pCi/L	1 / 1	ND / ND
Uranium	0.030	0.001	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	HARVEST SPRING SOURCE—TREATED 664-032 (mg/L)
Volatile Organic Compounds			
EPA 524.2:			
Total Trihalomethanes	0.1	0.0005	ND
tert-Amyl Methyl Ether (TAME)	--	0.003	ND
tert-Butyl-Ethyl Ether (TBEE)	--	0.003	ND
Benzene	0.005	0.0005	ND
Bromobenzene	0.005	0.0005	ND
Bromochloromethane	0.005	0.0005	ND
Bromodichloromethane	--	0.0005	ND
Bromoform	--	0.0005	ND
Bromomethane	0.005	0.0005	ND
n-Butylbenzene	0.005	0.0005	ND
sec-Butylbenzene	0.005	0.0005	ND
tert-Butylbenzene	0.005	0.0005	ND
Carbon Disulfide	--	0.0005	ND
Carbon Tetrachloride	0.005	0.0005	ND
Chlorobenzene	0.005	0.0005	ND
Chloroethane	0.005	0.0005	ND
Chloroform	--	0.0005	ND
Chloromethane	0.005	0.0005	ND
2-Chlorotoluene	0.005	0.0005	ND
4-Chlorotoluene	0.005	0.0005	ND
Chlorodibromomethane	--	0.0005	ND
Dibromomethane	0.005	0.0005	ND
1,2-Dichlorobenzene	0.005	0.0005	ND
1,3-Dichlorobenzene	--	0.0005	ND
1,4-Dichlorobenzene	0.005	0.0005	ND
Dichlorodifluoromethane	0.005	0.0005	ND
1,1-Dichloroethane	0.005	0.0005	ND
1,2-Dichloroethane	0.005	0.0005	ND
1,1-Dichloroethylene	0.005	0.0005	ND
cis-1,2-Dichloroethylene	0.005	0.0005	ND
trans-1,2-Dichloroethylene	0.005	0.0005	ND
1,2-Dichloropropane	0.005	0.0005	ND
1,3-Dichloropropane	0.005	0.0005	ND
2,2-Dichloropropane	0.005	0.0005	ND
1,1-Dichloropropene	0.005	0.0005	ND
cis-1,3-Dichloropropene	0.005	0.0005	ND
trans-1,3-Dichloropropene	0.005	0.0005	ND
Di-Isopropyl Ether	--	0.003	ND
Ethylbenzene	0.005	0.0005	ND
Hexachlorobutadiene	0.005	0.0005	ND
Isopropylbenzene	0.005	0.0005	ND
4-Isopropyltoluene	0.005	0.0005	ND
Methyl tert-Butyl Ether (MTBE)	--	0.0005	ND
Methyl Ethyl Ketone (MEK)	--	0.005	ND
Methylene Chloride	0.005	0.0005	ND
Naphthalene	--	0.0005	ND
n-Propylbenzene	0.005	0.0005	ND
Styrene	0.005	0.0005	ND
1,1,1,2-Tetrachloroethane	0.005	0.0005	ND
1,1,2,2-Tetrachloroethane	0.005	0.0005	ND
Tetrachloroethylene	0.005	0.0005	ND
Toluene	0.005	0.0005	ND
1,2,3-Trichlorobenzene	0.005	0.0005	ND
1,2,4-Trichlorobenzene	0.005	0.0005	ND
1,1,1-Trichloroethane	0.005	0.0005	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	HARVEST SPRING SOURCE—TREATED 664-032 (mg/L)
EPA 524.2 continued:			
1,1,2-Trichloroethane	0.005	0.0005	ND
Trichloroethylene	0.005	0.0005	ND
Trichlorofluoromethane	0.005	0.0005	ND
Trichlorotrifluoroethane	--	0.0005	ND
1,2,3-Trichloropropane	0.005	0.0005	ND
1,2,4-Trimethylbenzene	0.005	0.0005	ND
1,3,5-Trimethylbenzene	0.005	0.0005	ND
Vinyl Chloride	0.002	0.0003	ND
m+p-Xylenes	0.005	0.0005	ND
ortho-Xylene	0.005	0.0005	ND
Total Xylene	0.005	0.0005	ND
Add'l Organics			
EPA 505:			
Chlordane (alpha and gamma)	--	0.0001	ND
Total PCBs	--	0.0001	ND
PCB 1016	--	0.00007	ND
PCB 1221	--	0.0001	ND
PCB 1232	--	0.0001	ND
PCB 1242	--	0.0001	ND
PCB 1248	--	0.0001	ND
PCB 1254	--	0.0001	ND
PCB 1260	--	0.00007	ND
Toxaphene	0.005	0.0005	ND
EPA 515.4:			
Acifluorfen	--	0.0002	ND
Bentazon	--	0.0005	ND
2,4-D	0.05	0.0001	ND
2,4-DB	--	0.002	ND
Dalapon	--	0.001	ND
Dicamba	--	0.0001	ND
3,5-Dichlorobenzoic Acid	--	0.0005	ND
Dichlorprop	--	0.0005	ND
Dinoseb	--	0.0002	ND
Pentachlorophenol	--	0.00004	ND
Picloram	--	0.0001	ND
2,4,5-T	--	0.0002	ND
2,4,5-TP (Silvex)	0.01	0.0001	ND
EPA 525.2:			
Alachlor	0.002	0.00005	ND
Aldrin	--	0.00001	ND
Dieldrin	--	0.00001	ND
Endrin	0.002	0.00001	ND
Heptachlor	0.0004	0.00001	ND
Heptachlor Epoxide	0.0002	0.00001	ND
Lindane	0.0002	0.00001	ND
Methoxychlor	0.04	0.00005	ND
Disinfection Byproducts			
EPA 317:			
Bromate	0.010	0.001	ND

EPA approved methods were used in all of the analyses and a listing is available upon request. These test results may be used for compliance purposes as required.

¹ The FDA, EPA, some State agencies and/or the IBWA may have established alternate MCLs for some of these analytes. Please refer to Federal, State and Industry codes.

² The bottled water shall not contain beta particle and photon radioactivity from man-made radionuclides in excess of that which would produce an annual dose equivalent to the total body or any internal organ of 4 millirems per year calculated on the basis of an intake of 2 liters of the water per day (=50 pCi/L).

ANALYTICAL REPORT

PREPARED FOR

Attn: (664) Water Quality Manager
Rocky Harvest, LLC
743 Broad Street
Unit #1
East Weymouth, Massachusetts 02189

Generated 3/12/2025 2:46:23 PM

JOB DESCRIPTION

664-032
Rocky Harvest - Weymouth - Harvest Spring Treated

JOB NUMBER

380-135171-1

Eurofins Eaton Analytical Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Compliance Statement

The report format being provided is not compliant with TNI (The NELAC Institute) Standards, and is a client-specific format

Authorization



Generated
3/12/2025 2:46:23 PM

Authorized for release by
Rachelle Arada, Project Manager
Rachelle.Arada@et.eurofinsus.com
(626)386-1106

Case Narrative

Client: Rocky Harvest, LLC
Project: 664-032

Job ID: 380-135171-1

Job ID: 380-135171-1

Eurofins Eaton Analytical Pomona

Job Narrative 380-135171-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 2/12/2025 9:45 AM and 3/6/2025 10:11 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 7.5°C, 8.2°C and 9.4°C.

Receipt Exceptions

The following sample was received at the laboratory outside the required temperature criteria: 664-032 Harvest Spring-Treated (380-139395-1). This does not meet regulatory requirements. The laboratory was instructed to proceed with analysis.

The following samples were received at the laboratory outside the required temperature criteria: 664-032 Harvest Spring-Treated (380-135171-1) and Trip Blanks (380-135171-2). This does not meet regulatory requirements. The laboratory was instructed to proceed with analysis.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Herbicides

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Pesticides/PCBs

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gas Flow Proportional Counter

Method 903.0: Radium 226 Batch 703356: The laboratory control sample (LCS) recovery is outside the upper QC limit indicating a potential positive bias for that analyte. This analyte was not observed above the RL in the associated samples; therefore the sample data is not adversely affected by this excursion. The data have been reported with this narrative. (LCS 160-703356/2-A)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Rad

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Eaton Analytical Pomona

Sample Summary

Client: Rocky Harvest, LLC
Project/Site: 664-032

Job ID: 380-135171-1
SDG: Rocky Harvest - Weymouth - Harvest Spring Treated

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	PWSID Number
380-135171-1	664-032 Harvest Spring-Treated	Drinking Water	02/11/25 09:00	02/12/25 09:45	4240006
380-139395-1	664-032 Harvest Spring-Treated	Drinking Water	03/05/25 09:30	03/06/25 10:11	

Client Sample Results

Client: Rocky Harvest, LLC
Project/Site: 664-032

Job ID: 380-135171-1
SDG: Rocky Harvest - Weymouth - Harvest Spring Treated

Client Sample ID: 664-032 Harvest Spring-Treated

Lab Sample ID: 380-135171-1

Date Collected: 02/11/25 09:00

Matrix: Drinking Water

Date Received: 02/12/25 09:45

PWSID Number: 4240006

Method: 524.2 - Total Trihalomethanes

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Trihalomethanes, Total	ND		0.50		ug/L		02/17/25 19:12	1	JT

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
1,1,1,2-Tetrachloroethane	ND		0.50		ug/L		02/17/25 19:12	1	DC
1,1,1-Trichloroethane	ND		0.50		ug/L		02/17/25 19:12	1	DC
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L		02/17/25 19:12	1	DC
1,1,2-Trichloroethane	ND		0.50		ug/L		02/17/25 19:12	1	DC
1,1-Dichloroethane	ND		0.50		ug/L		02/17/25 19:12	1	DC
1,1-Dichloroethylene	ND		0.50		ug/L		02/17/25 19:12	1	DC
1,1-Dichloropropene	ND		0.50		ug/L		02/17/25 19:12	1	DC
1,2,3-Trichlorobenzene	ND		0.50		ug/L		02/17/25 19:12	1	DC
1,2,3-Trichloropropane	ND		0.50		ug/L		02/17/25 19:12	1	DC
1,2,4-Trichlorobenzene	ND		0.50		ug/L		02/17/25 19:12	1	DC
1,2,4-Trimethylbenzene	ND		0.50		ug/L		02/17/25 19:12	1	DC
1,2-Dichloroethane	ND		0.50		ug/L		02/17/25 19:12	1	DC
1,2-Dichloropropane	ND		0.25		ug/L		02/17/25 19:12	1	DC
1,3,5-Trimethylbenzene	ND		0.50		ug/L		02/17/25 19:12	1	DC
1,3-Dichloropropane	ND		0.50		ug/L		02/17/25 19:12	1	DC
2,2-Dichloropropane	ND		0.50		ug/L		02/17/25 19:12	1	DC
2-Butanone (MEK)	ND		5.0		ug/L		02/17/25 19:12	1	DC
Benzene	ND		0.50		ug/L		02/17/25 19:12	1	DC
Bromobenzene	ND		0.50		ug/L		02/17/25 19:12	1	DC
Bromochloromethane	ND		0.50		ug/L		02/17/25 19:12	1	DC
Bromodichloromethane	ND		0.50		ug/L		02/17/25 19:12	1	DC
Bromoethane	ND		0.50		ug/L		02/17/25 19:12	1	DC
Bromoform	ND		0.50		ug/L		02/17/25 19:12	1	DC
Bromomethane (Methyl Bromide)	ND		0.50		ug/L		02/17/25 19:12	1	DC
Carbon disulfide	ND		0.50		ug/L		02/17/25 19:12	1	DC
Carbon tetrachloride	ND		0.50		ug/L		02/17/25 19:12	1	DC
Chlorobenzene	ND		0.50		ug/L		02/17/25 19:12	1	DC
Dibromochloromethane	ND		0.50		ug/L		02/17/25 19:12	1	DC
Chloroethane	ND		0.50		ug/L		02/17/25 19:12	1	DC
Chloroform (Trichloromethane)	ND		0.50		ug/L		02/17/25 19:12	1	DC
Chloromethane (methyl chloride)	ND		0.50		ug/L		02/17/25 19:12	1	DC
cis-1,2-Dichloroethylene	ND		0.50		ug/L		02/17/25 19:12	1	DC
cis-1,3-Dichloropropene	ND		0.50		ug/L		02/17/25 19:12	1	DC
Dibromomethane	ND		0.50		ug/L		02/17/25 19:12	1	DC
Dichlorodifluoromethane	ND		0.50		ug/L		02/17/25 19:12	1	DC
Dichloromethane	ND		0.50		ug/L		02/17/25 19:12	1	DC
Diisopropyl ether	ND		0.50		ug/L		02/17/25 19:12	1	DC
Ethylbenzene	ND		0.50		ug/L		02/17/25 19:12	1	DC
Hexachlorobutadiene	ND		0.25		ug/L		02/17/25 19:12	1	DC
Isopropylbenzene	ND		0.25		ug/L		02/17/25 19:12	1	DC
m,p-Xylenes	ND		0.50		ug/L		02/17/25 19:12	1	DC
m-Dichlorobenzene (1,3-DCB)	ND		0.50		ug/L		02/17/25 19:12	1	DC
Methyl-tert-butyl Ether (MTBE)	ND		0.50		ug/L		02/17/25 19:12	1	DC
Naphthalene	ND		0.50		ug/L		02/17/25 19:12	1	DC
n-Butylbenzene	ND		0.50		ug/L		02/17/25 19:12	1	DC
N-Propylbenzene	ND		0.50		ug/L		02/17/25 19:12	1	DC

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Rocky Harvest, LLC
Project/Site: 664-032

Job ID: 380-135171-1
SDG: Rocky Harvest - Weymouth - Harvest Spring Treated

Client Sample ID: 664-032 Harvest Spring-Treated

Lab Sample ID: 380-135171-1

Date Collected: 02/11/25 09:00

Matrix: Drinking Water

Date Received: 02/12/25 09:45

PWSID Number: 4240006

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
o-Chlorotoluene	ND		0.50		ug/L		02/17/25 19:12	1	DC
o-Dichlorobenzene (1,2-DCB)	ND		0.50		ug/L		02/17/25 19:12	1	DC
o-Xylene	ND		0.50		ug/L		02/17/25 19:12	1	DC
p-Chlorotoluene	ND		0.50		ug/L		02/17/25 19:12	1	DC
p-Dichlorobenzene (1,4-DCB)	ND		0.50		ug/L		02/17/25 19:12	1	DC
p-Isopropyltoluene	ND		0.50		ug/L		02/17/25 19:12	1	DC
sec-Butylbenzene	ND		0.50		ug/L		02/17/25 19:12	1	DC
Styrene	ND		0.50		ug/L		02/17/25 19:12	1	DC
Tert-amyl methyl ether	ND		3.0		ug/L		02/17/25 19:12	1	DC
Tert-butyl ethyl ether	ND		2.0		ug/L		02/17/25 19:12	1	DC
tert-Butylbenzene	ND		0.50		ug/L		02/17/25 19:12	1	DC
Tetrachloroethene (PCE)	ND		0.50		ug/L		02/17/25 19:12	1	DC
Toluene	ND		0.50		ug/L		02/17/25 19:12	1	DC
Xylenes, Total	ND		0.50		ug/L		02/17/25 19:12	1	DC
trans-1,2-Dichloroethylene	ND		0.50		ug/L		02/17/25 19:12	1	DC
trans-1,3-Dichloropropene	ND		0.50		ug/L		02/17/25 19:12	1	DC
Trichloroethylene (TCE)	ND		0.50		ug/L		02/17/25 19:12	1	DC
Trichlorofluoromethane (Freon 11)	ND		0.50		ug/L		02/17/25 19:12	1	DC
Trichlorotrifluoroethane	ND		0.50		ug/L		02/17/25 19:12	1	DC
Vinyl Chloride (VC)	ND		0.20		ug/L		02/17/25 19:12	1	DC
1,2-Dichloroethene, Total	ND		0.50		ug/L		02/17/25 19:12	1	DC
Surrogate	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
1,2-Dichloroethane-d4 (Surr)	108		70 - 130				02/17/25 19:12	1	DC
4-Bromofluorobenzene (Surr)	73		70 - 130				02/17/25 19:12	1	DC
Toluene-d8 (Surr)	89		70 - 130				02/17/25 19:12	1	DC

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Alachlor (Alanex)	ND		0.049		ug/L		02/20/25 17:33	1	UPAC
Aldrin	ND		0.0098		ug/L		02/20/25 17:33	1	UPAC
Dieldrin	ND		0.0098		ug/L		02/20/25 17:33	1	UPAC
Endrin	ND		0.0098		ug/L		02/20/25 17:33	1	UPAC
Heptachlor	ND		0.0098		ug/L		02/20/25 17:33	1	UPAC
Heptachlor epoxide (isomer B)	ND		0.0098		ug/L		02/20/25 17:33	1	UPAC
Lindane	ND	^3+	0.0098		ug/L		02/20/25 17:33	1	UPAC
Methoxychlor	ND		0.049		ug/L		02/20/25 17:33	1	UPAC
Surrogate	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
2-Nitro-m-xylene	96		70 - 130				02/20/25 17:33	1	UPAC
Perylene-d12	95		70 - 130				02/20/25 17:33	1	UPAC
Triphenylphosphate	99		70 - 130				02/20/25 17:33	1	UPAC

Method: 505 - Organochlorine Pesticides/PCBs (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Chlordane	ND		0.10		ug/L		02/13/25 16:07	1	DR5R
PCB-1016	ND		0.071		ug/L		02/13/25 16:07	1	DR5R
PCB-1221	ND		0.10		ug/L		02/13/25 16:07	1	DR5R
PCB-1232	ND		0.10		ug/L		02/13/25 16:07	1	DR5R
PCB-1242	ND		0.10		ug/L		02/13/25 16:07	1	DR5R

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Rocky Harvest, LLC
Project/Site: 664-032

Job ID: 380-135171-1
SDG: Rocky Harvest - Weymouth - Harvest Spring Treated

Client Sample ID: 664-032 Harvest Spring-Treated

Lab Sample ID: 380-135171-1

Date Collected: 02/11/25 09:00

Matrix: Drinking Water

Date Received: 02/12/25 09:45

PWSID Number: 4240006

Method: 505 - Organochlorine Pesticides/PCBs (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
PCB-1248	ND		0.10		ug/L		02/13/25 16:07	1	DR5R
PCB-1254	ND		0.10		ug/L		02/13/25 16:07	1	DR5R
PCB-1260	ND		0.071		ug/L		02/13/25 16:07	1	DR5R
Polychlorinated biphenyls, Total	ND		0.10		ug/L		02/13/25 16:07	1	DR5R
Toxaphene	ND		0.51		ug/L		02/13/25 16:07	1	DR5R
Surrogate	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
Tetrachloro-m-xylene	107		70 - 130				02/13/25 16:07	1	DR5R
Tetrachloro-m-xylene	107		70 - 130				02/13/25 16:07	1	DR5R

Method: 515.4 - Herbicides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
2,4,5-T	ND		0.20		ug/L		02/16/25 06:45	1	K9GY
2,4,5-TP (Silvex)	ND		0.10		ug/L		02/16/25 06:45	1	K9GY
2,4-D	ND		0.10		ug/L		02/16/25 06:45	1	K9GY
2,4-DB	ND		2.0		ug/L		02/16/25 06:45	1	K9GY
3,5-Dichlorobenzoic acid	ND		0.50		ug/L		02/16/25 06:45	1	K9GY
Acifluorfen	ND		0.20		ug/L		02/16/25 06:45	1	K9GY
Bentazon	ND		0.50		ug/L		02/16/25 06:45	1	K9GY
Dalapon	ND		1.0		ug/L		02/16/25 06:45	1	K9GY
Dicamba	ND		0.10		ug/L		02/16/25 06:45	1	K9GY
Dichlorprop	ND		0.50		ug/L		02/16/25 06:45	1	K9GY
Dinoseb	ND		0.20		ug/L		02/16/25 06:45	1	K9GY
Pentachlorophenol	ND		0.040		ug/L		02/16/25 06:45	1	K9GY
Picloram	ND		0.10		ug/L		02/16/25 06:45	1	K9GY
Surrogate	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
2,4-Dichlorophenylacetic acid (Surr)	98		70 - 130				02/16/25 06:45	1	K9GY

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Chloride	11		0.50		mg/L		02/13/25 01:01	1	DXD4
Nitrate as N	0.98		0.050		mg/L		02/13/25 01:01	1	DXD4
Nitrite as N	ND		0.050		mg/L		02/13/25 01:01	1	DXD4
Sulfate	9.6		0.25		mg/L		02/13/25 01:01	1	DXD4

Method: 300.0 - Nitrogen, Nitrate-Nitrite

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Nitrate Nitrite as N	0.98		0.050		mg/L		02/13/25 01:01	1	D5TU

Method: 317 - Bromate, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Bromate	ND		1.0		ug/L		02/26/25 21:01	1	XLG4

Method: 200.7 - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Calcium	7.2		0.10		mg/L		02/13/25 16:43	1	MF7S
Iron	ND		0.010		mg/L		02/13/25 16:43	1	MF7S
Magnesium	2.8		0.10		mg/L		02/13/25 16:43	1	MF7S
Potassium	0.95		0.10		mg/L		02/13/25 16:43	1	MF7S
Sodium	8.5		0.10		mg/L		02/13/25 16:43	1	MF7S

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Rocky Harvest, LLC
Project/Site: 664-032

Job ID: 380-135171-1
SDG: Rocky Harvest - Weymouth - Harvest Spring Treated

Client Sample ID: 664-032 Harvest Spring-Treated

Lab Sample ID: 380-135171-1

Date Collected: 02/11/25 09:00

Matrix: Drinking Water

Date Received: 02/12/25 09:45

PWSID Number: 4240006

Method: 200.8 - Mercury (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Hg	ND		0.20		ug/L		02/13/25 16:50	1	T8BB

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Antimony	ND		1.0		ug/L		02/13/25 16:50	1	T8BB
Arsenic	ND		2.0		ug/L		02/13/25 16:50	1	T8BB
Barium	7.2		2.0		ug/L		02/13/25 16:50	1	T8BB
Cadmium	ND		0.50		ug/L		02/13/25 16:50	1	T8BB
Chromium	ND		0.90		ug/L		02/14/25 13:59	1	T8BB
Copper	ND		1.0		ug/L		02/13/25 16:50	1	T8BB
Lead	ND		0.50		ug/L		02/13/25 16:50	1	T8BB
Manganese	5.5		2.0		ug/L		02/13/25 16:50	1	T8BB
Nickel	1.6		1.0		ug/L		02/13/25 16:50	1	T8BB
Selenium	ND		2.0		ug/L		02/13/25 16:50	1	T8BB
Silver	ND		0.50		ug/L		02/13/25 16:50	1	T8BB
Uranium	ND		1.0		ug/L		02/13/25 16:50	1	T8BB
Zinc	ND		20		ug/L		02/13/25 16:50	1	T8BB
Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Uranium	ND		0.67		pCi/L		02/13/25 16:50	1	T8BB

Method: SM 2340B - Total Hardness (as CaCO3) by calculation

Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
Hardness (as CaCO3)	29		2.9		mg/L		02/14/25 18:02	1	T8BB
Calcium hardness as CaCO3	18		2.5		mg/L		02/14/25 18:02	1	T8BB
Magnesium hardness as calcium carbonate	11		0.41		mg/L		02/14/25 18:02	1	T8BB

General Chemistry

Analyte	Result	Qualifier	NONE	NONE	Unit	D	Analyzed	Dil Fac	Analyst
Corrosivity (SM 2330B)	-2.1				LangSU		02/12/25 18:16	1	UWAH
Langelier Index (SM 2330B)	-2.1				LangSU		02/12/25 18:16	1	UWAH
Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Alkalinity as CaCO3 (SM 2320B)	23		4.0		mg/L		02/15/25 05:02	1	PK4Q
Bicarbonate Alkalinity as CaCO3 (SM 2320B)	23		4.0		mg/L		02/15/25 05:02	1	PK4Q
Carbonate Alkalinity as CaCO3 (SM 2320B)	ND		4.0		mg/L		02/15/25 05:02	1	PK4Q
Hydroxide Alkalinity as CaCO3 (SM 2320B)	ND		4.0		mg/L		02/15/25 05:02	1	PK4Q
Total Dissolved Solids (SM 2540C)	54		20		mg/L		02/12/25 18:09	1	WZH3
Fluoride (SM 4500 F C)	ND		0.050		mg/L		02/14/25 23:11	1	PK4Q
Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
pH (SM 4500 H+ B)	7.0	HF	0.01		SU		02/15/25 05:02	1	PK4Q

Method: 900.0 - Gross Alpha and Gross Beta Radioactivity

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Gross Alpha	0.487	U	0.590	0.593	3.00	0.604	pCi/L	03/06/25 19:43	1	SWS
Gross Beta	1.25		0.728	0.738	4.00	0.648	pCi/L	03/06/25 19:43	1	SWS

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Rocky Harvest, LLC
Project/Site: 664-032

Job ID: 380-135171-1
SDG: Rocky Harvest - Weymouth - Harvest Spring Treated

Client Sample ID: 664-032 Harvest Spring-Treated

Lab Sample ID: 380-135171-1

Date Collected: 02/11/25 09:00

Matrix: Drinking Water

Date Received: 02/12/25 09:45

PWSID Number: 4240006

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium-226	0.127	U *	0.133	0.134	1.00	0.132	pCi/L	03/06/25 16:29	1	SWS
Carrier	%Yield	Qualifier	Limits					Analyzed	Dil Fac	Analyst
Ba Carrier	84.6		30 - 110					03/06/25 16:29	1	SWS

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium-228	0.508		0.360	0.363	1.00	0.332	pCi/L	03/07/25 12:26	1	SWS
Carrier	%Yield	Qualifier	Limits					Analyzed	Dil Fac	Analyst
Ba Carrier	97.9		30 - 110					03/07/25 12:26	1	SWS
Y Carrier	81.9		30 - 110					03/07/25 12:26	1	SWS

Method: Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium 226 and 228	0.635		0.384	0.387	5.00	0.332	pCi/L	03/11/25 12:25	1	SCB

Client Sample ID: 664-032 Harvest Spring-Treated

Lab Sample ID: 380-139395-1

Date Collected: 03/05/25 09:30

Matrix: Drinking Water

Date Received: 03/06/25 10:11

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Turbidity (180.1)	0.10		0.10		NTU		03/06/25 15:46	1	MQP5
Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
Color, Apparent (SM 2120B)	ND		2.0		Color Units		03/06/25 12:52	1	DN4H
Odor (SM 2150B)	ND	H H3	1.0		T.O.N.		03/06/25 12:15	1	QDP7

Action Limit Summary

Client: Rocky Harvest, LLC
Project/Site: 664-032

Job ID: 380-135171-1
SDG: Rocky Harvest - Weymouth - Harvest Spring Treated

Client Sample ID: 664-032 Harvest Spring-Treated
PWSID Number: 4240006

Lab Sample ID: 380-135171-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	MAT1DW	EPAMCL	MAT3DW	EPAMCL	Method	Prep Type
				1	Limit	2	S		
Trihalomethanes, Total	ND		ug/L		80			524.2	Total/NA
1,1,1-Trichloroethane	ND		ug/L	200				524.2	Total/NA
1,1,2-Trichloroethane	ND		ug/L	5				524.2	Total/NA
1,1-Dichloroethylene	ND		ug/L	7				524.2	Total/NA
1,2,4-Trichlorobenzene	ND		ug/L	70				524.2	Total/NA
1,2-Dichloroethane	ND		ug/L	5				524.2	Total/NA
1,2-Dichloropropane	ND		ug/L	5				524.2	Total/NA
Benzene	ND		ug/L	5				524.2	Total/NA
Carbon tetrachloride	ND		ug/L	5				524.2	Total/NA
Chlorobenzene	ND		ug/L	100				524.2	Total/NA
cis-1,2-Dichloroethylene	ND		ug/L	70				524.2	Total/NA
Dichloromethane	ND		ug/L	5				524.2	Total/NA
Ethylbenzene	ND		ug/L	700				524.2	Total/NA
o-Dichlorobenzene (1,2-DCB)	ND		ug/L	600				524.2	Total/NA
p-Dichlorobenzene (1,4-DCB)	ND		ug/L	5				524.2	Total/NA
Styrene	ND		ug/L	100				524.2	Total/NA
Tetrachloroethene (PCE)	ND		ug/L	5				524.2	Total/NA
Toluene	ND		ug/L	1000				524.2	Total/NA
Xylenes, Total	ND		ug/L	10000				524.2	Total/NA
trans-1,2-Dichloroethylene	ND		ug/L	100				524.2	Total/NA
Trichloroethylene (TCE)	ND		ug/L	5				524.2	Total/NA
Vinyl Chloride (VC)	ND		ug/L	2				524.2	Total/NA
Alachlor (Alanex)	ND		ug/L	2				525.2	Total/NA
Endrin	ND		ug/L	2				525.2	Total/NA
Heptachlor	ND		ug/L	0.4				525.2	Total/NA
Heptachlor epoxide (isomer B)	ND		ug/L	0.2				525.2	Total/NA
Lindane	ND	^3+	ug/L	0.2				525.2	Total/NA
Methoxychlor	ND		ug/L	40				525.2	Total/NA
Chlordane	ND		ug/L	2				505	Total/NA
Polychlorinated biphenyls, Total	ND		ug/L	0.5				505	Total/NA
Toxaphene	ND		ug/L	3				505	Total/NA
2,4,5-TP (Silvex)	ND		ug/L	50				515.4	Total/NA
2,4-D	ND		ug/L	70				515.4	Total/NA
Dalapon	ND		ug/L	200				515.4	Total/NA
Dinoseb	ND		ug/L	7				515.4	Total/NA
Pentachlorophenol	ND		ug/L	1				515.4	Total/NA
Picloram	ND		ug/L	500				515.4	Total/NA
Chloride	11		mg/L			250		300.0	Total/NA
Nitrate as N	0.98		mg/L	10				300.0	Total/NA
Nitrite as N	ND		mg/L	1				300.0	Total/NA
Sulfate	9.6		mg/L			250		300.0	Total/NA
Nitrate Nitrite as N	0.98		mg/L		10			300.0	Total/NA
Bromate	ND		ug/L	10				317	Total/NA
Iron	ND		mg/L			0.3		200.7	Total/NA

Eurofins Eaton Analytical Pomona

Action Limit Summary

Client: Rocky Harvest, LLC
Project/Site: 664-032

Job ID: 380-135171-1
SDG: Rocky Harvest - Weymouth - Harvest Spring Treated

Client Sample ID: 664-032 Harvest Spring-Treated (Continued)

Lab Sample ID: 380-135171-1

PWSID Number: 4240006

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	MAT1DW	EPAMCL	MAT3DW	EPAMCL	Method	Prep Type
				1	Limit	2	S		
Hg	ND		ug/L	2				200.8	Total/NA
Antimony	ND		ug/L	6				200.8	Total/NA
Arsenic	ND		ug/L	10				200.8	Total/NA
Barium	7.2		ug/L	2000				200.8	Total/NA
Cadmium	ND		ug/L	5				200.8	Total/NA
Chromium	ND		ug/L	100				200.8	Total/NA
Copper	ND		ug/L	1300.0		1000		200.8	Total/NA
Lead	ND		ug/L	15				200.8	Total/NA
Manganese	5.5		ug/L			50		200.8	Total/NA
Selenium	ND		ug/L	50				200.8	Total/NA
Silver	ND		ug/L			100		200.8	Total/NA
Uranium	ND		ug/L	30				200.8	Total/NA
Uranium	ND		pCi/L	20				200.8	Total/NA
Zinc	ND		ug/L			5		200.8	Total/NA
Total Dissolved Solids	54		mg/L			500		SM 2540C	Total/NA
Fluoride	ND		mg/L	4		2		SM 4500 F C	Total/NA
pH	7.0	HF	SU				6.5	SM 4500 H+ B	Total/NA
Gross Alpha	0.487	U	pCi/L	15				900.0	Total/NA
Gross Beta	1.25		pCi/L		50			900.0	Total/NA
Radium 226 and 228	0.635		pCi/L	5				Ra226_Ra228 Pos	Total/NA

Client Sample ID: 664-032 Harvest Spring-Treated

Lab Sample ID: 380-139395-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	MAT3DW2	EPAMCLS	RL	Method	Prep Type
				Limit	Limit			
Color, Apparent	ND		Color Units		15	2.0	SM 2120B	Total/NA
Odor	ND	H H3	T.O.N.	3		1.0	SM 2150B	Total/NA

Accreditation/Certification and Definitions Summary

Client: Rocky Harvest, LLC
Project/Site: 664-032

Job ID: 380-135171-1
SDG: Rocky Harvest - Weymouth - Harvest Spring Treated

Laboratory: Eurofins Eaton Analytical Pomona

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	ISO/IEC 17025	5890.01 & 5890.02	06-30-25
Alabama	State	41060	06-18-25
Arizona	State	AZ0833	02-27-26
Arkansas (DW)	State	CA00006	01-31-26
California	State	2813	06-18-25
Colorado	State	CA00006	01-31-26
Connecticut	State	PH-0107	03-31-26
Delaware (DW)	State	CA00006	01-31-26
Florida	NELAP	E871024	06-30-25
Georgia (DW)	State	947	01-31-26
Guam	State	24-03R	03-31-25
Hawaii	State	CA00006	01-31-25 *
Hawaii (Micro)	State	CA00006	01-31-26
Idaho (DW)	State	CA00006	01-31-26
Idaho (Micro)	State	CA00006	03-31-25
Illinois	NELAP	200033	03-31-25
Indiana	State	C-CA-01	06-18-25
Kansas	NELAP	E-10268	04-30-25
Kentucky (DW)	State	KY90107	12-31-25
Louisiana (DW)	State	LA008	12-31-25
Maine	State	CA00006A	03-08-26
Maryland	State	224	03-31-26
Massachusetts	State	M-CA006	06-30-25
MI - RadChem Recognition	State	9906	06-18-25
Michigan	State	9906	06-18-25
Mississippi	State	CA2813	06-18-25
Montana (DW)	State	CERT0035	01-01-26
Nebraska	State	NE-OS-21-13	01-31-25 *
Nevada	State	CA00006	07-31-25
New Hampshire	NELAP	2959	03-29-25
New Jersey	NELAP	CA008	06-30-25
New Mexico	State	CA00006	01-31-26
New York	NELAP	11320	04-01-25
North Carolina (DW)	State	06701	07-31-25
North Dakota	State	R-009	01-31-24 *
Northern Mariana Islands (DW)	State	CA00006	01-31-25 *
Ohio	State	87786	01-31-25 *
Oregon	NELAP	4034	01-29-26
Pennsylvania	NELAP	68-00565	10-31-25
Puerto Rico	State	CA00006	03-31-25
Rhode Island	State	LAO00381	12-30-25
South Dakota (DW)	State	CA11320	06-18-25
Tennessee	State	TN02839	01-31-25 *
Texas	NELAP	T104704230	09-30-25
USEPA UCMR 5	US Federal Programs	CA00006	12-31-25
Utah	NELAP	CA00006	01-31-26
Vermont	State	VT-0114	12-28-25
Virginia	NELAP	460260	06-14-25
Washington	State	C838	03-13-25
Wyoming	State	8-TMS-L	06-18-25

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

Accreditation/Certification and Definitions Summary

Client: Rocky Harvest, LLC
Project/Site: 664-032

Job ID: 380-135171-1
SDG: Rocky Harvest - Weymouth - Harvest Spring Treated

Laboratory: Eurofins Eaton Analytical South Bend

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	ISO/IEC 17025	5794.01	07-31-26
Alabama	State	40700	06-30-25
Alaska	State	IN00035	06-30-25
Arizona	State	AZ0432	07-26-25
Arkansas (DW)	State	EPA IN00035	06-30-25
California	State	2920	06-30-25
Colorado	State	IN00035	02-28-25
Connecticut	State	PH-0132	03-31-26
Delaware (DW)	State	IN00035	06-30-25
Florida	NELAP	E87775	06-30-25
Georgia (DW)	State	929	06-30-25
Guam	State	23-011R	07-15-25
Hawaii	State	IN035	06-30-25
Idaho (DW)	State	IN00035	12-31-25
IL Dept. of Public Health (Micro)	State	17767	06-30-25
Illinois	NELAP	200001	09-30-25
Indiana	State	C-71-01	12-31-25
Indiana (Micro)	State	M-76-07	12-31-25
Iowa	State	IA Lab #098	11-01-25
Kansas	NELAP	E-10233	10-31-25
Kentucky (DW)	State	KY90056	12-31-25
Louisiana (DW)	State	LA014	12-31-25
Maine	State	IN00035	05-01-25
Maryland	State	209	06-30-25
Massachusetts	State	M-IN035	06-30-25
MI - RadChem Recognition	State	9926	06-01-25
Michigan	State	9926	12-31-25
Minnesota	NELAP	018-999-338	12-31-25
Mississippi	State	IN00035	06-30-25
Missouri	State	880	09-30-27
Montana (DW)	State	CERT0026	01-01-26
Nebraska	State	NE-OS-05-04	06-30-25
Nevada	State	IN000352024-01	07-31-25
New Hampshire	NELAP	2124	11-05-25
New Jersey	NELAP	IN598	06-30-25
New Mexico	State	IN00035	06-30-25
New York	NELAP	11398	03-02-25
North Carolina (DW)	State	18700	07-31-25
North Dakota	State	R-035	06-30-24 *
Northern Mariana Islands (DW)	State	IN00035	06-30-25
Ohio	State	87775	06-30-25
Oklahoma	NELAP	D9508	08-31-25
Oregon	NELAP	4156	09-16-25
Pennsylvania	NELAP	68-00466	04-30-25
Puerto Rico	State	IN00035	04-01-25
Rhode Island	State	LAO00343	12-30-25
South Carolina	State	95005001	06-30-25
South Dakota (DW)	State	IN00035	06-30-25
Tennessee	State	TN02973	06-30-25
Texas	NELAP	T104704187-22-16	12-31-25

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

Accreditation/Certification and Definitions Summary

Client: Rocky Harvest, LLC
Project/Site: 664-032

Job ID: 380-135171-1
SDG: Rocky Harvest - Weymouth - Harvest Spring Treated

Laboratory: Eurofins Eaton Analytical South Bend (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Texas	TCEQ Water Supply	TX207	06-30-25
USEPA UCMR 5	US Federal Programs	IN00035	12-31-25
Utah	NELAP	IN00035	07-31-25
Vermont	State	VT-8775	03-11-25
Virginia	NELAP	460275	03-14-25
Washington	State	C837	01-01-26
West Virginia (DW)	State	9927 C	01-31-26
Wisconsin	State	999766900	08-31-25
Wisconsin (Micro)	State	10121	12-31-25
Wyoming	State	8TMS-L	06-30-25

Laboratory: Eurofins St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-25
ANAB	Dept. of Defense ELAP	L2305	04-06-25
ANAB	Dept. of Energy	L2305.01	04-06-25
ANAB	ISO/IEC 17025	L2305	04-08-25
Arizona	State	AZ0813	12-08-25
California	Los Angeles County Sanitation Districts	10259	06-30-22 *
California	State	2886	06-30-25
Connecticut	State	PH-0241	03-31-25
Florida	NELAP	E87689	06-30-25
HI - RadChem Recognition	State	n/a	06-30-25
Illinois	NELAP	200023	11-30-25
Iowa	State	373	12-01-26
Kansas	NELAP	E-10236	10-31-25
Kentucky (DW)	State	KY90125	12-31-25
Kentucky (WW)	State	KY90125 (Permit KY0004049)	12-31-25
Louisiana (All)	NELAP	106151	06-30-25
Louisiana (DW)	State	LA011	12-31-25
Maryland	State	310	09-30-25
Massachusetts	State	M-MO054	06-30-25
MI - RadChem Recognition	State	9005	06-30-25
Missouri	State	780	06-30-25
Nevada	State	MO00054	07-31-25
New Jersey	NELAP	MO002	06-30-25
New Mexico	State	MO00054	06-30-25
New York	NELAP	11616	03-31-25
North Carolina (DW)	State	29700	07-31-25
North Dakota	State	R-207	06-30-25
Oklahoma	NELAP	9997	08-31-25
Oregon	NELAP	4157	09-01-25
Pennsylvania	NELAP	68-00540	02-28-26
South Carolina	State	85002	06-30-25
Texas	NELAP	T104704193	07-31-25
US Fish & Wildlife	US Federal Programs	058448	07-31-25
USDA	US Federal Programs	525-23-138-94730	05-18-26

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

Accreditation/Certification and Definitions Summary

Client: Rocky Harvest, LLC
Project/Site: 664-032

Job ID: 380-135171-1
SDG: Rocky Harvest - Weymouth - Harvest Spring Treated

Laboratory: Eurofins St. Louis (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Utah	NELAP	MO00054	07-31-25
Virginia	NELAP	460230	06-14-25
Washington	State	C592	08-30-25
West Virginia DEP	State	381	10-31-25

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased

General Chemistry

Qualifier	Qualifier Description
H	Sample was prepped or analyzed beyond the specified holding time. This does not meet regulatory requirements.
H3	Sample was received and analyzed past holding time. This does not meet regulatory requirements.
HF	Parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. Sample was analyzed outside of hold time.

Rad

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
MRL	Method Reporting Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

Accreditation/Certification and Definitions Summary

Client: Rocky Harvest, LLC
Project/Site: 664-032

Job ID: 380-135171-1
SDG: Rocky Harvest - Weymouth - Harvest Spring Treated

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
SDL	Sample Detection Limit
SDL	Sample Detection Limit
SDL	Sample Detection Limit
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

664-032-13

CHAIN OF CUSTODY RECORD

[illegible]

FedEx ① 4229 4599 0936
 ② 4229 4599 0888
 401A ① $7.2 + 0.3 = 7.5$ Gel + hair
 ② $9.1 + 0.3 = 9.4$ Gel + hair

RECEIVED 2 x TDS - GR
02/12/25

31 of 12

CHAIN OF CUSTODY RECORD

664-032-13

INVOICE TO/SEND Compliance Designs		ORIGINAL REPORT TO: 159 South Stark Highway Weare, New Hampshire 03281 Tel (603) 273-0954 Fax (603) 695-7318		CLIENT NAME TO APPEAR ON REPORT: Rocky Harvest, LLC 743 Broad Street, Unit #1 East Weymouth MA 02189		LAB USED: Eurofins - Pomona		ORDER # 38008392	
						TURNAROUND TIME: STND/BUT ASAP		PWS #: 4240006-012	
PROJECT NAME: 2025 NY Annual		PROJECT #: 664		NUMBER OF CONTAINERS		ANALYSIS REQUIRED			
SAMPLE NUMBER	DATE & TIME OF SAMPLE COLLECTION	SAMPLE DESCRIPTION AND PRODUCTION CODE							
664-032	2/11/25 9:00	Harvest Spring-Treated				NY-Annual			
SAMPLER'S SIGNATURE: BELOW:		PLEASE PRINT Edward J. Rose Jr		COMPLIANCE CRITERIA:		380-135171 COC			
REINQUIRED BY		DATE/TIME		ACCEPTED BY		DATE/TIME		NOTES TO LABORATORY	
[Signature]		2/11/25		[Signature]		02/12/25		2025 4229 4599 0899 (7518) 49°-0'-0":4.9°-55'-11.11"	

2x OP - STARTUP - 02-02-12-25

Shipping Order Form - Bottle Order



Environment Testing

Eurofins Eaton Analytical Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642
Phone (626) 386-1100



Shipping Order ID: 79190

Ship Via: FedEx

Due On: 1/23/2025 11:59:00PM

Ship To Information

Project Manager Rachelle Arada
Tel (626) 386-1106 Em Rachelle Arada@et.eurofinsus.com
Company Name Harvest Spring
Attention Ed Rose
Address 1 743 Broad Street
Address 2
Address 3
City Weymouth
State MA
Zip 02189
Phone #
Project Ref. Testing Program 2025

Notes to Bottle/Shipping Department

2025 Annual. Please include "Short Hold" tag and instructions

PLEASE INCLUDE PRE-PAID RETURN
SHIPPING

Shipping Method Pack by sample set (affixed TALS labels)

- ☒ Ready to Fill
- ☒ Preprinted COC
- ☐ Number of COC Copies
- ☐ Seals on Bottle
- ☐ Seals on Coolers
- ☐ Priority
- ☒ Return Shipment Labels
- ☒ Prepaid Return
- ☒ Eurofins Eaton Analytical Pomona
- ☒ Short Hold Times
- ☒ Temperature Control
- ☐ Rush

Please notify your PM immediately if an error is found in shipment. When returning samples, please return all provided QC samples.

Bottle Order Information

Bottle Order. 664-032 Harvest Spring-Treated
Bottle Order # 23228
Request From Client. 1/19/2025
Date Order Posted 1/19/2025 7 35 16PM
Order Status Ready To Process
Prepared By. Rachelle Arada
Deliver By Date: 1/23/2025 11:59:00PM
Lab Project Number. 38008392
PWSID

Order Completion Information

Creator. Rachelle Arada
Filled by.
Sent Date
Sent Via.
Tracking #

Sets		Bottles/Set	Qty	Bottle Type Description	Preservative	Method	Matrix	Sample Type	Comments	Lot #
1	2	2	2	Plastic 1 liter - Nitric Acid	Nitric Acid	903 0 - Standard Target List	Drinking W	Normal		
1	2	2	2	Plastic 1 liter - Nitric Acid	Nitric Acid	904 0 - Standard Target List	Drinking W	Normal		
1	1	1	1	Plastic 500ml - with Nitric Acid	Nitric Acid	900 0 - Standard Target List	Drinking W	Normal		
1	0	0	0	No Container	None	Ra226_228GFPC_P - Local Method	Drinking W	Normal		
1	2	2	2	Amber Glass 250ml - Na2SO3	Sodium Sulfite	515 4_PREC - (MOD) 50 State	Drinking W	Normal		
1	6	6	6	Voa Vial 40ml Amber - Sodium thiosulfate	Sodium Thiosulfate	505_PREC - (MOD) 50 State	Drinking W	Normal		
1	1	1	1	Plastic 250ml - unpreserved	None	SM4500_H+ - pH 2320B - (MOD) All Forms Alkalinity	Drinking W Drinking W	Normal Normal		
1	1	1	1	Plastic 500ml - with Nitric Acid	Nitric Acid	200 8_Hg - Mercury 200 7_SDWA - Ca, Mg, Na, K, Fe 200 8_SDWA - (MOD) 50 State	Drinking W Drinking W Drinking W	Normal Normal Normal		
1	2	2	2	Plastic 125mL - ethylene diamine	Ethylene Diamine	317 - Bromate	Drinking W	Normal		
1	0	0	0	No Container	None	524 2_TTHM_Sum - Total Trihalomethanes	Drinking W	Normal		
1	0	0	0	No Container	None	SM2330B - Local Method NO2NO3_Calc - Local Method	Drinking W Drinking W	Normal Normal		
1	0	0	0	No Container	None	SM2340B - Local Method	Drinking W	Normal		
1	2	2	2	Amber Glass 1 liter - unpreserved	None	180 1 - Turbidity 2120B - Color, Apparent SM2150_Odor_B - Odor	Drinking W Drinking W Drinking W	Normal Normal Normal		
1	2	2	2	Plastic 500ml - unpreserved	None	2540C_Calcd - Total Dissolved Solids	Drinking W	Normal		
1	6	6	6	Voa Vial 40ml Amber - Ascor Acid & HCL	Ascorbic Acid and Hydrochloric Acid	524 2_Pres_PREC - (MOD) SDWA	Drinking W	Normal		
1	4	4	4	Amber Glass 1 Liter- Sodium Sulfite/HCl	Sodium Sulfite w/HCl	525 2_PREC - (MOD) 50 State	Drinking W	Normal		

Please notify your PM immediately if an error is found in shipment. When returning samples, please return all provided QC samples.

1	3	3	Plastic 125mL - unpreserved	None	300_OF_48H_PREC - (MOD) Nitrate and Nitrite as N 4500_F_C - Fluoride 300_OF_28D_PREC - Chloride and Sulfate	Drinking W Drinking W Drinking W	Normal Normal Normal
1	2	2	Voa Vial 40ml Amber - Ascor Acid & HCL	Ascorbic Acid and Hydrochloric Acid	524.2_Pres_PREC - (MOD) SDWA	Drinking W	Trip Blank

Total Bottle Summary

Bottle Type Description	Preservative	Bottle Count
Normal		34
Amber Glass 1 liter - unpreserved	None	2
Amber Glass 1 Liter- Sodium Sulfite/HCl	Sodium Sulfite w/HCl	4
Amber Glass 250ml - Na2SO3	Sodium Sulfite	2
No Container	None	0
Plastic 1 liter - Nitric Acid	Nitric Acid	4
Plastic 125mL - ethylene diamine	Ethylene Diamine	2
Plastic 125mL - unpreserved	None	3
Plastic 250ml - unpreserved	None	1
Plastic 500ml - unpreserved	None	2
Plastic 500ml - with Nitric Acid	Nitric Acid	2
Voa Vial 40ml Amber - Ascor Acid & HCL	Ascorbic Acid and Hydrochloric Acid	6
Voa Vial 40ml Amber - Sodium thiosulfate	Sodium Thiosulfate	6
Trip Blank		2
Voa Vial 40ml Amber - Ascor Acid & HCL	Ascorbic Acid and Hydrochloric Acid	2
Total Bottles.		36

Notes to Field Staff:



Scan QR code for field sampler instructions

Health and Safety Notes:

Preservative	Comment
Ascorbic Acid and Hydrochloric Acid	Contains 25mg/ml Ascorbic Acid. May cause mild irritation to skin and eyes. CAUTION! CONTAINS 1 1 HYDROCHLORIC ACID Avoid skin and eye contact. If contact is made, FLUSH IMMEDIATELY with water
Ethylene Diamine	CAUTION! CORROSIVE! CONTAINS ETYLENEDIAMINE Harmful if inhaled Use adequate ventilation Harmful in contact with skin and eyes If contact is made, FLUSH IMMEDIATELY with water
Nitric Acid	CAUTION! STRONG OXIDIZER! CONTAINS 1 1 NITRIC ACID Avoid skin and eye contact. If contact is made, FLUSH IMMEDIATELY with water

Please notify your PM immediately if an error is found in shipment. When returning samples, please return all provided QC samples.

Health and Safety Notes:

Preservative

Sodium Sulfite

Sodium Sulfite w/HCl

Sodium Thiosulfate

Comment

CAUTION! CONTAINS SODIUM SULFITE Harmful if inhaled. Use adequate ventilation. Avoid skin and eye contact. If contact is made, FLUSH IMMEDIATELY with water

CAUTION! CONTAINS SODIUM SULFITE Harmful if inhaled. Use adequate ventilation. Avoid skin and eye contact. If contact is made, FLUSH IMMEDIATELY with water

CAUTION! CONTAINS 10% SODIUM THIOSULFATE. Harmful if inhaled. Use adequate ventilation. Avoid skin and eye contact. If contact is made, FLUSH IMMEDIATELY with water

Relinquished By	Company	Date	Time	Received By	Company	Seal #
Relinquished By	Company	Date	Time	Received By	Company	Seal #

Please notify your PM immediately if an error is found in shipment. When returning samples, please return all provided QC samples.

664-032-13

CHAIN OF CUSTODY RECORD

INVOICE TO/SEND Compliance Designs		ORIGINAL REPORT TO: 159 South Stark Highway Weare, New Hampshire 03281 Tel (603) 273-0954 Fax (603) 695-7318		CLIENT NAME TO APPEAR ON REPORT: Rocky Harvest, LLC 743 Broad Street, Unit #1 East Weymouth MA 02189		LAB USED: Eurofins -Pomona		ORDER # 38008392	
PROJECT NAME: 2025 NY Annual-R		PROJECT #: 664		NUMBER OF CONTAINERS		TURNAROUND TIME: STND/BUT ASAP		PWS #:	
SAMPLE NUMBER		DATE & TIME OF SAMPLE COLLECTION		SAMPLE DESCRIPTION AND PRODUCTION CODE		ANALYSIS REQUIRED			
664-032		3/5/25 9:30 AM		Harvest Spring-Treated		Color, Odor, Turbidity			
SAMPLER'S SIGNATURE: BELOW:		PLEASE PRINT REWARD ROSEIE		COMPLIANCE CRITERIA		4441 2037 8570			
RELINQUISHED BY		DATE/TIME		ACCEPTED BY		DATE/TIME		NOTES TO LABORATORY	
V. D. [Signature]		3/5/25		[Signature]		3/6/25 10:11		6082/8.2 = 8.2 GR	



380-139395 COC

Bottle Order Information

Bottle Order: 664-032 Harvest Spring-Treated_Resample
Bottle Order #: 24278
Request From Client 2/22/2025
Date Order Posted 2/22/2025 4:52:37PM
Order Status Ready To Process
Prepared By: Rachelle Arada
Deliver By Date: 2/26/2025 11:59:00PM
Lab Project Number 38008392
PWSID

Order Completion Information

Creator Rachelle Arada
Filled by
Sent Date
Sent Via
Tracking #

Sets	Bottles/Set	Qty	Bottle Type Description	Preservative	Method	Matrix	Sample Type	Comments	Lot #
1	1	1	Amber Glass 1 liter - unpreserved	None	180 1 - Turbidity 2120B - Color, Apparent SM2150_Odor_B - Odor	Drinking W Drinking W Drinking W	Normal Normal Normal		

Total Bottle Summary			Preservative	Bottle Count
Bottle Type Description				
Normal				1
Amber Glass 1 liter - unpreserved			None	1
			Total Bottles:	1

Notes to Field Staff:



Scan QR code for field sampler instructions

Health and Safety Notes:

Preservative Comment

Relinquished By	Company	Date	Time	Received By	Company	Seal #
Relinquished By	Company	Date	Time	Received By	Company	Seal #

Please notify your PM immediately if an error is found in shipment. When returning samples, please return all provided QC samples.

**941 Corporate Center Drive
Pomona, CA 91768-2642
Phone: 626-386-1100**

Chain of Custody Record



Environment Testing

[illegible]